

Preventive Services Covered under the Affordable Care Act

If you have a new health insurance plan or insurance policy beginning on or after September 23, 2010, the following preventive services must be covered without your having to pay a copayment or coinsurance or meet your deductible, when these services are delivered by a network provider.

Covered Preventive Services for Adults

- **Abdominal Aortic Aneurysm** one-time screening for men of specified ages who have ever smoked
- **Alcohol Misuse** screening and counseling
- **Aspirin** use for men and women of certain ages
- **Blood Pressure** screening for all adults
- **Cholesterol** screening for adults of certain ages or at higher risk
- **Colorectal Cancer** screening for adults over 50
- **Depression** screening for adults
- **Type 2 Diabetes** screening for adults with high blood pressure
- **Diet** counseling for adults at higher risk for chronic disease
- **HIV** screening for all adults at higher risk
- **Immunization** vaccines for adults--doses, recommended ages, and recommended populations vary:
 - Hepatitis A
 - Hepatitis B
 - Herpes Zoster
 - Human Papillomavirus
 - Influenza
 - Measles, Mumps, Rubella
 - Meningococcal
 - Pneumococcal
 - Tetanus, Diphtheria, Pertussis
 - Varicella
- **Obesity** screening and counseling for all adults
- **Sexually Transmitted Infection (STI)** prevention counseling for adults at higher risk
- **Tobacco Use** screening for all adults and cessation interventions for tobacco users
- **Syphilis** screening for all adults at higher risk

Covered Preventive Services for Women, Including Pregnant Women

- **Anemia** screening on a routine basis for pregnant women
- **Bacteriuria** urinary tract or other infection screening for pregnant women
- **BRCA** counseling about genetic testing for women at higher risk
- **Breast Cancer Mammography** screenings every 1 to 2 years for women over 40
- **Breast Cancer Chemoprevention** counseling for women at higher risk
- **Breast Feeding** interventions to support and promote breast feeding

- **Cervical Cancer** screening for sexually active women
- **Chlamydia Infection** screening for younger women and other women at higher risk
- **Folic Acid** supplements for women who may become pregnant
- **Gonorrhea** screening for all women at higher risk
- **Hepatitis B** screening for pregnant women at their first prenatal visit
- **Osteoporosis** screening for women over age 60 depending on risk factors
- **Rh Incompatibility** screening for all pregnant women and follow-up testing for women at higher risk
- **Tobacco Use** screening and interventions for all women, and expanded counseling for pregnant tobacco users
- **Syphilis** screening for all pregnant women or other women at increased risk

Covered Preventive Services for Children

- **Alcohol and Drug Use assessments for adolescents**
- **Autism screening for children at 18 and 24 months**
- **Behavioral assessments for children of all ages**
- **Cervical Dysplasia screening for sexually active females**
- **Congenital Hypothyroidism screening for newborns**
- **Developmental screening for children under age 3, and surveillance throughout childhood**
- **Dyslipidemia screening for children at higher risk of lipid disorders**
- **Fluoride Chemoprevention supplements for children without fluoride in their water source**
- **Gonorrhea preventive medication for the eyes of all newborns**
- **Hearing screening for all newborns**
- **Height, Weight and Body Mass Index measurements for children**
- **Hematocrit or Hemoglobin screening for children**
- **Hemoglobinopathies or sickle cell screening for newborns**
- **HIV screening for adolescents at higher risk**
- **Immunization vaccines for children from birth to age 18 —doses, recommended ages, and recommended populations vary:**
 - Diphtheria, Tetanus, Pertussis
 - Haemophilus influenzae type b
 - Hepatitis A
 - Hepatitis B
 - Human Papillomavirus
 - Inactivated Poliovirus
 - Influenza
 - Measles, Mumps, Rubella
 - Meningococcal
 - Pneumococcal
 - Rotavirus
 - Varicella
- **Iron** supplements for children ages 6 to 12 months at risk for anemia
- **Lead** screening for children at risk of exposure
- **Medical History** for all children throughout development
- **Obesity** screening and counseling
- **Oral Health** risk assessment for young children
- **Phenylketonuria (PKU)** screening for this genetic disorder in newborns
- **Sexually Transmitted Infection (STI)** prevention counseling for adolescents at higher risk

- **Tuberculin** testing for children at higher risk of tuberculosis
- **Vision** screening for all children